**SDS #:** 527.41 **Revision Date:** March 21, 2014

Pictograms

# SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

# Methylparaben Solution

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Signal Word

DANGER

Hazard class: Acute toxicity, oral and dermal (Category 3). Toxic if swallowed or in contact with skin (H301 +H311). Do not eat, drink or smoke when using this product (P270).

Hazard class: Skin and serious eye damage, corrosion or irritation (Category 2, 2A). Causes skin and serious eye irritation (H315+H319).

Hazard class: Specific target organ toxicity, single exposure (Category 1). Causes damage to organs (H370). Do not breathe mist, vapors or spray (P260).

# SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Methylparaben	99-76-3	$C_8H_8O_3$	152.16	0.3%
Methyl alcohol	67-56-1	CH <sub>3</sub> OH	32.04	99.7%
Synonym: Mold inhibitor				

### SECTION 4 — FIRST AID MEASURES

If exposed or concerned: Call a POISON CENTER or physician (P307+P311).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). If eye irritation persists: Get medical advice or attention (P337+P313). If on skin (or hair): Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). Remove immediately all contaminated clothing (P361). Wash contaminated clothing before reuse (P363). If swallowed: Rinse mouth. Immediately call a POISON CENTER or physician (P301+P310+P330).

# SECTION 5 — FIRE FIGHTING MEASURES

Class IB flammable liquid due to methyl alcohol content. Flash point: 11 °C Flammable limits: Lower: 6.0% Upper 36% Autoignition Temperature: 464 °C Dangerous fire risk. When heated to decomposition, may emit toxic fumes. **In case of fire:** Use a tri-class dry chemical fire extinguisher (P370+P378).

# SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain spill with sand or other inert absorbent material; deposit in sealed bag or container. See Sections 8 and 13 for further information.

NFPA CODE

None

established

### SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #2. Store with alcohols, glycols, amines and amides. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-Stor<sup>TM</sup> can. Keep container tightly closed (P233). Keep cool (P235). Take precautionary measures against static discharge (P243).

### SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Exposure guidelines: (as methyl alcohol) PEL/TLV 200 ppm (OSHA, ACGIH), STEL 250 ppm (ACGIH) Readily absorbed through the skin.

#### SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Clear colorless liquid. Alcohol odor.

# SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with acids, acid chlorides, acid anhydrides, oxidizers, reducers, and alkali metals. Shelf life: Indefinite, if stored properly.

#### SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Irritation eyes, skin, upper respiratory system; headache, drowsiness, dizziness, nausea, vomiting; visual disturbance, dermatitis Chronic effects: Optic nerve damage (blindness) Target organs: Eyes, skin, respiratory system, CNS, GI tract ORL-RBT  $LD_{50}$ : 5628 mg/kg (as methyl alcohol) IHL-RAT  $LC_{50}$ : 64000 ppm/4H (as methyl alcohol) SKN-RAT  $LD_{50}$ : 15800 mg/kg (as methyl alcohol)

N.A. = Not available, not all health aspects of this substance have been fully investigated.

#### SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

#### SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding. Flinn Suggested Disposal Method #18a is one option.

### SECTION 14 — TRANSPORT INFORMATION

Shipping name: Methyl Alcohol. Hazard class: 3, Flammable liquid. UN number: UN1230.

N/A = Not applicable

### SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-659-6)

#### SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

Consult your copy of the *Flinn Science Catalog/Reference Manual* for additional information about laboratory chemicals. **Revision Date:** March 21, 2014

© 2014 Flinn Scientific, Inc. All Rights Reserved.