

CP INDUSTRIES

PREMIERE LAUNDRY DETERGENT

Revised: 1/2/2002

MSDS Contents

- [PRODUCT NAME](#)
- [HAZARDOUS INGREDIENTS](#)
- [PHYSICAL / CHEMICAL CHARACTERISTICS](#)
- [FIRE AND EXPLOSION HAZARD DATA](#)
- [REACTIVITY DATA](#)
- [HEALTH HAZARD DATA](#)
- [EMERGENCY AND FIRST AID PROCEDURES](#)
- [SPILL OR LEAK PROCEDURES](#)
- [PROTECTIVE EQUIPMENT TO BE USED](#)
- [SPECIAL PRECAUTIONS OR OTHER COMMENTS](#)

Item Number:

3ZG68, 3ZG69

Mfg. Model Number:

CPJ050PB, CPJ100PB

CP INDUSTRIES

CP INDUSTRIES
 560 NORTH 500 WEST
 SALT LAKE CITY, UTAH 84116
 (801) 521-0313
 (800) 453-4931
 (801) 539-0510 FAX

MATERIAL SAFETY DATA SHEET

PRODUCT NAME

PRODUCT NAME: PREMIERE LAUNDRY DETERGENT

DATE PREPARED: JANUARY 2, 2002

HAZARDOUS INGREDIENTS

NO SUBSTANCES DEFINED AS HAZARDOUS PRESENT.

OTHER INGREDIENTS:

SODIUM CARBONATE

CAS 497-19-8

SODIUM SILICATES

CAS 6834-92-0

PHYSICAL/ CHEMICAL CHARACTERISTICS

SOLUBILITY IN WATER: ABOUT 15%.

APPEARANCE AND ODOR: BLUE CRYSTALLINE SOLID, LEMON ODOR.

FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY: NOT FLAMMABLE IN NORMAL CIRCUMSTANCES.

EXTINGUISHING MEDIA: REGULAR FOAM OR CARBON DIOXIDE OR DRY CHEMICAL.

HAZARDOUS DECOMPOSITION PRODUCTS:

MAY FORM TOXIC MATERIALS:

CARBON DIOXIDE AND CARBON MONOXIDE, VARIOUS HYDROCARBONS, ETC.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

AS WITH ANY ORGANIC CONTAINING PRODUCT NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN IGNITE EXPLOSIVELY.

NFPA CODES:

HEALTH - 2

FIRE - 0

REACTIVITY - 0

OTHER - NONE.

REACTIVITY DATA

HAZARDOUS POLYMERIZATION: CANNOT OCCUR.

STABILITY: STABLE.

INCOMPATIBILITY: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

HEALTH HAZARD DATA

INHALATION: MAY HAVE IRRITATING DUST.

SKIN CONTACT:

MAY IRRITATE THE SKIN, ESPECIALLY SENSITIVE SKIN OR WITH PROLONGED CONTACT.

EYE CONTACT: CONTACT CAN CAUSE IRRITATION TO THE EYES.

INGESTION: CAN CAUSE IRRITATION TO MUCOUS MEMBRANES.

EMERGENCY AND FIRST AID PROCEDURES

EYES:

IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES HOLDING EYELIDS APART TO ENSURE FLUSHING OF ENTIRE EYE SURFACE. SEEK MEDICAL ATTENTION.

SKIN: WASH OFF WITH WATER.

INHALATION: REMOVE PERSON FROM AREA TO FRESH AIR.

INGESTION:

IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER. CONSULT A PHYSICIAN.

SPILL OR LEAK PROCEDURES

CLEAN UP SPILLS BY SWEEPING UP OR SHOVELING UP MATERIAL. THEN FLUSH SPILL AREA WITH WATER.

WASTE DISPOSAL METHODS:

DISPOSE IN ACCORDANCE WITH THE FEDERAL, STATE AND LOCAL REGULATIONS CONCERNING HEALTH AND POLLUTION.

PROTECTIVE EQUIPMENT TO BE USED

RESPIRATORY: DUST MASK IF DUST IS EXCESSIVE.

EYE: EYE PROTECTION IS RECOMMENDED IN ALL INDUSTRIAL WORKPLACES.

SPECIAL PRECAUTIONS OR OTHER COMMENTS

CONTAINERS OF THIS MATERIAL MAY BE HARMFUL WHEN EMPTIED SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID AND/OR SOLID). ALL HAZARD PRECAUTIONS GIVEN IN THE DATA SHEET MUST BE OBSERVED.

NOTE:

THE INFORMATION HEREIN IS BELIEVED TO BE EFFICACIOUS AND ACCURATE; HOWEVER, NO WARRANTY IS MADE WITH RESPECT THERETO. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES. PREPARED TO COMPLY WITH THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)